



RELTIO CLOUD

Powering Digital Transformation



Reltio Cloud Beginner 101

Setup Instructions for Labs

Lab Description

This Lab Guide provides instructions on how to set up Postman so you can access the Reltio REST API.

Course Tools Checklist:	2
Technical Roles and Responsibilities	2
Download and Setup Postman	3
Download	3
Setup	4

Course Tools Checklist:

	ITEM	RESOURCE
<input type="checkbox"/>	Download Postman	https://www.getpostman.com/downloads/

Technical Roles and Responsibilities


This Lab guide is intended for use by a technical architect or developer.

Download and Setup Postman

In order to do the hands on Labs in this training course, you first need to get the Postman ReST client and set it up to access the Reltio ReST APIs.

Download Postman

Postman is a REST client that makes it easy to access any REST API. Reltio uses Postman's application and recommends it for development and testing but does not maintain, support, or resell it. Go to <https://www.getpostman.com/downloads> to download and install the application:



The Postman site offers a free account. Setting one up with an email address enables you to save configurations and workspaces.

You will receive a welcome email from training@relio.com within two business days of your registration for the course in Reltio Academy. The email will provide the URL and credentials of the tenant you will use for your hands on exercises. You will need to configure the Postman environment settings with details from the email before you can use the collection of requests to access the Reltio API.

Setup Postman

1. Install the Postman application.
2. Download the "Reltio Configuration Fundamentals Postman files" zip file from Reltio Academy and extract the two files in the zip file:

The screenshot displays the Reltio Academy course interface for 'Reltio Configuration Fundamentals' (ID: E-KVOW0J). The course progress is 8 / 56 parts completed. A large blue arrow points to the 'DOWNLOAD NOW' button for the 'RCF Postman Files.zip' file (30.41 KB). A red arrow points from this button to the 'Reltio Configuration Fundamentals Postman Files' download link in the right-hand sidebar. The sidebar also lists other course components: Features Test, Solution Accelerators Overview Video, Knowledge Check: Solution Accelerator Test, Architecture Overview Video, Knowledge Check: Reltio Architecture Test, Architecture API Lab (1 / 1), Account 360 (0 / 5), and Metadata Model (0 / 25).

DOWNLOAD NOW

RCF Postman Files.zip
30.41 KB


Reltio Configuration Fundamentals Postman Files

Reltio Configuration Fundamentals Postman Files
File download


Account 360 0 / 5

Metadata Model 0 / 25


3. Open the Postman application and select the Import button on the upper left side of the screen.




4. Select the "Choose Files" button and import the two files you saved in step 2 ("RCF Postman Environment.json" and "RCF Postman Requests.json")




5. Once the import has been completed, select the "Collections" tab. You should see the collection "Reltio 101 Beginners" listed.





6. Navigate to the top right corner of the screen and select the “No Environment” drop down.



7. Select the “Student” environment.



8. Select the Gear  icon next to the environment drop down which will list all the environments you have available.



9. Select the "Student" link to access the environment variables.
10. Enter the following values from your welcome email:
 - a. Login
 - b. Password
 - c. MDM Tenant ID

- d. RDM Tenant ID
- e. Then select the "Update" button.

MANAGE ENVIRONMENTS

Environment Name

Student

	VARIABLE	CURRENT VALUE ⓘ	...	Persist All	Reset All
<input checked="" type="checkbox"/>	tenantURL	https://sndbx.reltio.com/reltio/api/{{mdmTenant}}			
<input checked="" type="checkbox"/>	urlAuth	https://auth.reltio.com/oauth			
<input checked="" type="checkbox"/>	clientId	cmVsdGlvX3VpOm1ha2l0YQ==			
<input checked="" type="checkbox"/>	login	changeme			
<input checked="" type="checkbox"/>	password	changeme			
<input checked="" type="checkbox"/>	mdmTenant	changeme			
<input checked="" type="checkbox"/>	rdmTenant	changeme			
<input checked="" type="checkbox"/>	accessToken	f6bf9f67-4f68-45d5-92a5-71d01d7d1e0a			
<input checked="" type="checkbox"/>	tokenId	d1f18a4c-5c4a-4687-b30f-973d48e71f32			
<input checked="" type="checkbox"/>	rdmURL	https://rdm.reltio.com			
	Add a new variable				

ⓘ Use variables to reuse values in different places. Work with the current value of a variable to prevent sharing sensitive values with your team. [Learn more about variable values](#)


×

Cancel


Update

11. Perform the following steps
 - a. Select the "Collections" tab
 - b. Select the "Reltio 101 Beginners" collection
 - c. Select the "POST Authorization" request


d. Select the "Send" button



If the previous steps have been done correctly, you should see something similar to the following response:



If you get the following response (or other error message) it means there is an error in your tenant URL or credentials:



Review your settings in step 10.